



# LABELLING OF PRODUCTS ACCORDING TO HAZARDOUS SUBSTANCES REGULATIONS

## The label according to

### CLP-Regulation (EC) 1272/2008 based on GHS

CLP = Classification, Labelling, Packaging

GHS = Globally Harmonized System (according to United Nations proposal)

**1**

### Hazard communication according to CLP

- GHS symbols:  
Red diamonds, white background  
Red diamond is blackened, if no symbol
- Signal word (Warning, Danger)
- Hazard statements (H phrases)
- Precautionary statements (P phrases):  
Prevention, Response, Storage, Disposal

**2**

### Product description Manufacturer address

**3**

### Product information

- Volume content
- EMG-no. = Number of recipe
- SAP-no. = Number of recipe and packout
- Batch-no. = Batch number for tracking of manufacturing details
- Prod. Date = Production date
- Exp. Date = Expiration date (if stored in originally sealed can)
- UN-no. = UN number according to transport regulations
- Barcode means batch-no. (e.g. 2NURPJ04E6)
- Packaging material code: e.g. FE 40 = Steel

**Coates Screen Inks**

**Coates Screen Inks**

**1**

**Warning Flammable liquid and vapor. Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects. Avoid breathing vapor. Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. In case of fire: Use water spray, dry chemical powder or carbon dioxide for extinction. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a well-ventilated place. Keep cool. Contains isocyanates. May produce an allergic reaction. Contains epoxy constituents. May produce an allergic reaction. Hazardous ingredients: reaction product: bisphenol-A-epichlorohydrin, epoxy resin**

**2**

**Warning Flammabile liquido e vapori infiammabili. Provoca grave irritazione oculare. Provoca irritazione cutanea. Può provocare una reazione allergica cutanea. Nocivo per gli organismi acquatici con effetti di lunga durata. Evitare di respirare i vapori. Indossare guanti protettivi. Fare uso di un dispositivo di protezione degli occhi o del viso. Tenere lontano da fonti di calore, superfici calde, scintille, fiamme libere e altre fonti di accensione. Non fumare. In caso di incendio: Estinguere con spray d'acqua, polvere chimica secca. IN CASO DI CONTATTO CON GLI OCCHI: Sciocquare accuratamente per parecchi minuti. Togliere le eventuali lenti a contatto se è agevole farlo. Continuare a sciocquare. Conservare in luogo ben ventilato. Conservare in luogo fresco. Contiene isocianati. Può provocare una reazione allergica. Contiene componenti epossidici. Può provocare una reazione allergica. Ingredienti pericolosi: prodotto di reazione: bisfenolo-A-epicloridrina**

**3**

**1.0L**

**Z 21/NT-NEU**  
**Signalrot/Bright Red**

**2**

**COATES SCREEN INKS GMBH**  
Wiederholdplatz 1 · 90451 Nürnberg  
Tel. +49 911 64220 · Fax +49 911 6422200  
www.coates.de  
**MADE IN GERMANY**

**3**

SAP no. 90871018  
EMG no. 1985582B  
Batch no. 2NURPJ04E6  
Prod. date 20-Oct-2021  
Best Before: 19-Oct-2026  
UN no. **UN1210**

**40**  
**FE**

**Screen and Pad Printing Inks**

**Sieb- und Tampondruckfarben**



# LABELLING OF PRODUCTS ACCORDING TO HAZARDOUS SUBSTANCES REGULATIONS




















## OUR SYMBOLS

	OCCURENCE	EXAMPLES	H-STATEMENTS	SIGNALWORD	H-STATEMENT (full text)
	UV curing printing inks	UVP UV/GL	Skin Sens. 1, H317	Warning	May cause an allergic skin reaction
	Printing inks with flash point > 60°C	ZMN	Acute Tox. 4, H312	Warning	Harmful in contact with skin
	Products with 2-butoxy-ethylacetate	ZMN	Acute Tox. 4, H332	Warning	Harmful if inhaled
	Products with n-butylacetate	Additive A URS 3	STOT SE 3, H336	Warning	May cause drowsiness and dizziness
	All solvent-based printing inks and additives with flashpoint 60°C and less (Old orange flame Symbol: < 21°C)	TP 300, Z, TP 219	Flam. Liq. 3, H226	Warning	Flammable liquid and vapour
	Products, which contain especially environmentally hazardous substances	Additive A	Aquatic Chronic 2, H411	Warning	Toxic to aquatic life with long lasting effects
	There are less than 0,5% of a substance contained which may cause sensitisation by inhalation	TP 219	Resp. Sens. 1, H334	Danger	May cause allergy or asthma symptoms or breathing difficulties if inhaled
	Products with butyl glycolate	Z/GL	Repr. 2, H361 fd	Danger	Suspected of damaging fertility. Suspected of damaging the unborn child.
	Products with butyl glycolate	Z/GL	Eye Dam. 1, H318	Danger	Causes serious eye damage
	Products with gamma-butyrolacton	UVN	Eye Dam. 1, H318	Danger	Causes serious eye damage
	Products with expoxide resin low-molecular	Z	Eye Dam. 1, H318	Danger	Causes serious eye damage

## Comparison of hazard information according to Dangerous Substances Directive and new symbols according to CLP-Regulations (EC)

**NOTE:** This table is for illustration purposes, it may not be used as translation of product labels. The classification criteria of both systems are different.

This overview is a basic information and does not replace legal advice. This is no substitute for relevant legislation; only text of CLP Regulation (EC) No.1272/2008 is legally binding.

OLD EC SYSTEM until 2015		CLP-REGULATION	
Hazard description	e.g. <b>Toxic</b> <b>Harmful</b>	Hazard description	<b>Warning</b> <b>Danger</b>
Risk phrase	Flammable	Hazard statement	Flammable liquid and vapour
Safety phrase	In case of insufficient ventilation, wear suitable respiratory equipment	Precautionary statement	In case of inadequate ventilation wear respiratory protection
No Symbol	Flammable liquid		All substances with flammable hazard have this pictogram according to CLP
	Extremely flammable ( <b>F+</b> ) or highly flammable ( <b>F</b> )		
	Corrosive ( <b>C</b> ) - causes (severe) burns		Chemicals burn on skin and/or are corrosive to metals (new hazard category)
	Risk of serious damage to eyes		Serious damage to eyes is now labelled with "corrosive" pictogram
	Irritant ( <b>Xi</b> ) Harmful ( <b>Xn</b> )		Irritation of skin or eyes sensitisation and other acute effects
	Harmful ( <b>Xn</b> ) - severe health damage at longterm exposition - sensitisation by inhalation		The pictogram "health hazard" is used for - severe health damage at longterm or repeated exposition - sensitisation by inhalation
	Cancerogenic, mutagenic, toxic for reproduction (Category 3)		Cancerogenic, mutagenic, toxic for reproduction (2)
	Toxic or very toxic to aquatic organism ( <b>N</b> )		Toxic to aquatic life with long lasting effects
<b>Does not apply to products of Coates Screen Inks GmbH:</b>			
	Toxic ( <b>T</b> ) Very Toxic ( <b>T+</b> )		Chemicals of acute toxicity have "skull and bone" pictogram (Acute Toxicity 1, 2, 3)
	Cancerogenic, mutagenic, toxic for reproduction (Cat. 1, Cat. 2)		Cancerogenic, mutagenic, toxic for reproduction (1A, 1B)



# LABELLING OF PRODUCTS ACCORDING TO HAZARDOUS SUBSTANCES REGULATIONS

## SAFETY DATA SHEET

The safety data sheet according to REACH regulation contains new hazard labelling according to CLP regulation in section 2 (Hazards identification).

Sections of safety data sheets (according to REACH regulations):

Page 1

**SunChemical**  
a member of the DIC group

**SAFETY DATA SHEET**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Germany

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Product name : Z 21/NT-NEU  
Product code : 1985582B  
Trade name : Z 21/NT-NEU  
Signalword/Bright Red  
Date of issue/ Date of revision : 23 November 2021  
Version : 5.07

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Printing ink; Printing ink related material; Colorant	
Uses advised against	Reason
Not applicable.	

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor : SUN CHEMICAL  
NORTON HILL  
MIDSOMER NORTON  
BATH  
SOMERSET  
BA3 4RT  
UNITED KINGDOM  
(44) 1761 414471  
COATES SCREEN INKS GMBH  
WIEDERHOLDPLATZ 1  
D-90451 NUREMBERG  
GERMANY  
(49) 911 6422 0  
e-mail address of person responsible for this SDS : regulatory.affairs@sunchemical.com

1.4 Emergency telephone number

Supplier  
Telephone number : 0600-18

Date of issue : 23 November 2021

Page 2



1985582B

**SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition : Mixture  
Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)  
Flam. Liq. 3, H226  
Skin Irrit. 2, H315  
Eye Irrit. 2, H319  
Skin Sens. 1, H317  
Aquatic Chronic 3, H412  
See Section 16 for the full text of the H statements declared above.  
See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :  

Signal word : Warning

Hazard statements : Flammable liquid and vapour.  
Causes serious eye irritation.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention : Avoid breathing vapour. Wear protective gloves. Wear eye or face protection.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.

Response : In case of fire: Use water spray, dry chemical powder or carbon dioxide for extinction. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Store in a well-ventilated place. Keep cool.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : reaction product: bisphenol-A(epichlorohydrin); epoxy resin (number average molecular weight 5 700)

Supplemental label elements : Contains isocyanates. May produce an allergic reaction. Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

Other hazards which do not result in classification : None known.  
The mixture may be a skin sensitizer. It may also be a skin irritant and repeated contact may increase this effect.

**SECTION 3: Composition/information on ingredients**

Substance/mixture : Mixture

Date of issue : 23 November 2021 Page: 2/15

- SECTION 1: Identification of the substance / mixture and of the company undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition / information on ingredients
- SECTION 4: First aid measures
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls / personal protection
- SECTION 9: Physical and chemical properties
- SECTION 10: Stability and reactivity
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information
- SECTION 16: Other Information



Tilman Goerttler  
Environment, Health- and  
Product Safety  
Tel. + 49 911 64 22-253  
Fax + 49 911 64 22-209  
tilman.goerttler@sunchemical.com



## Coates Screen Inks GmbH Nuremberg Screen and Pad Printing Inks

Wiederholdplatz 1, D-90451 Nuremberg  
Tel. + 49 911 64 22-0, Fax + 49 911 64 22-200  
info.coates@sunchemical.com  
www.coates.de